



DENVER
THE MILE HIGH CITY

Mobile Retail Food Establishment Application Questionnaire

Department of Environmental Health
Public Health Inspection

200 W 14th Avenue, Suite 200
Denver, CO 80204
phone: 720.913.1311
fax: 720.865.5532
www.denvergov.org/phi

1. What kind of food/ingredients will you prepare and serve?
(Cutting and chopping of some ingredients must be completed at a commissary)
2. Where will you purchase or obtain your food and supplies?*
3. Where will you store food and supplies?*
*(Food not purchased the same day of operation must be stored at the commissary)*4. Where will you fill the potable water tanks?*
*(Potable water hose must be used to fill the water tanks. Water spigots used for filling fresh water tanks must be from a clean fixture protected by a backflow preventer.)*5. Where and how will you store the potable water hose (if needed)?*
*(Potable fresh water hose must be stored protected - like clean equipment and food)*6. Where will you dump the wastewater tanks?*
*(Wastewater must be disposed to a sanitary sewer drain and not onto the street or ground.)*7. Where will you obtain your supply of ice?*
*(Ice must be obtained from an approved source. Ice used to food and beverage storage may not be used in food or beverages.)*8. Where will you park your truck, trailer, or cart when you are not operating?*
*(The Zoning Administrator in Community Planning and Development may restrict where you park your vehicle at night.)*9. Where and how will you clean your mobile unit?
(Trucks, trailers, and carts must be cleaned where the water waste will drain into a sanitary sewer.)
10. Where do you intend to operate or sell your food? *(Some areas require approval for Public Right of Way in Public Works or a letter of permission from a property owner.)*
11. What days and hours will you operate?

* If the commissary is unable to provide you these services, you may be required to provide additional affidavits of commissary from the facilities where you will conduct these duties or obtain these services.

